

MARBLE | Pompeii

Nexion interprets Marble

POMPEII COLLECTION

POMPEII collection conveys the richness of some of these precious marbles used since the Roman age to place the milestones along the most important ways of communication and elevates the status of prestigious patrician villas and mansions.

Nexion selected four among the finest marbles and created slabs in eye-catching color variations ranging from the classical beauty of white Italian lasa to the richness of beige Iranian onyx, to intense tones of grey pulpis and dark brown emperador. With great craftsmanship, Nexion has exalted these stones with two captivating surfaces: the contemporary lappato matt and the super-reflective full lappato.

The result is a collection that translates the timeless charm of some of the most precious marbles in a contemporary language, ideal for the most ambitious design projects. A collection that brings the best of the inspiring Italian design to any type of ambience and location.

Nexion about

Nexion is a joint venture company created by Ceramiche Speranza, a best-in-class Italian firm founded in 1961, and Simpolo, since 1977 one of the leading Indian producer of ceramics and sanitary ware.

With mastery of technology and design, we turn the best of the Italian tradition and lifestyle into contemporary ceramic surfaces that can be source of inspiration for architects and designers around the world.

Open-minded and keen to learn from customers and partners, we are committed to deliver the best quality and service and we believe that our work ends when our clients fulfill their desires and achieve their goals.

Full body-colored porcelain stoneware (international standard) | Vitrified stoneware (indian standard). Rectified | 9 mm thickness



to exploit all architectural and creative potential.

120x240 cm | 80x240 cm | 80x160 cm | 120x120 cm | 60x120 cm



Onice Persiano 80x160 cm F86PMPEOYRO Lappato Matt F86PMPEOLRO Full Lappato



Marrone Emperador 80x160 cm F86PMPF0YR0 Lappato Matt F86PMPF0LR0 Full Lappato



Pulpis Grigio 80x160 cm F86PMPGOYRO Lappato Matt F86PMPGOLRO Full Lappato



Bianco Lasa 80x160 cm F86PMPA0YRO Lappato Matt F86PMPA0LRO Full Lappato



Onice Persiano 80x240 cm F84PMPEOYRO Lappato Matt F84PMPEOLRO Full Lappato



Marrone Emperador 80x240 cm F84PMPF0YR0 Lappato Matt F84PMPF0LR0 Full Lappato



Pulpis Grigio 80x240 cm F84PMPGOYRO Lappato Matt F84PMPGOLRO Full Lappato



Bianco Lasa 80x240 cm F84PMPA0YRO Lappato Matt F84PMPA0LRO Full Lappato



Onice Persiano 120x240 cm F14PMPEOYRO Lappato Matt F14PMPEOLRO Full Lappato



Marrone Emperador 120x240 cm F14PMPF0YR0 Lappato Matt F14PMPF0LR0 Full Lappato



Pulpis Grigio 120x240 cm F14PMPGOYRO Lappato Matt F14PMPGOLRO Full Lappato




Bianco Lasa 120x240 cm F14PMPAOYRO Lappato Matt F14PMPAOLRO Full Lappato



Onice Persiano 120x120 cm F12PMPEOYRO Lappato Matt F12PMPF0LRO Full Lappato




Marrone Emperador 120x120 cm F12PMPF0YR0 Lappato Matt F12PMPF0LR0 Full Lappato



Pulpis Grigio 120x120 cm F12PMPG0YR0 Lappato Matt F12PMPG0LR0 Full Lappato



Bianco Lasa 120x120 cm F12PMPAOYRO Lappato Matt F12PMPAOLRO Full Lappato



applications.





Onice Persiano 60x120 cm F62PMPEOYRO Lappato Matt F62PMPEOLRO Full Lappato



Marrone Emperador 60x120 cm F62PMPF0YR0 Lappato Matt F62PMPF0LR0 Full Lappato



Pulpis Grigio 60x120 cm F62PMPGOYRO Lappato Matt F62PMPGOLRO Full Lappato



Bianco Lasa 60x120 cm F62PMPAOYRO Lappato Matt F62PMPAOLRO Full Lappato

Nexion quality standards
ALL TESTS ARE CARRIED OUT BY ITALIAN LABORATORIES ACCREDITED ACCORDING TO ISO/IEC 17025:2005
Standards according to ISO 13006: Annex G - EN 14411: Annex G. Dry - Pressed Ceramic Tiles.

QUALITY ITEMS	TECHNICAL FEATURE	STANDARD METHOD ISO	REQUIR	EMENTS	NEXION	l Values
			%	mm	%	mm
	LENGHT AND WIDTH		±0,6%	±2,0	±0,2%	±2,0
	THICKNESS		±5%	±0,5	±5%	±0,5
DIMENSIONS	STRAIGHTNESS OF SIDES		±0,5%	±1,5	±0,2%	±1,5
AND SURFACE QUALITY	RECTANGULARITY	UNI EN ISO 10545-2	±0,5%	±2,0	±0,33%	±1,5
GOALITI	FLATNESS		±0,5%	±2,0	±0,26%	±1,5
	SURFACE QUALITY		A minimum of 95% of the tiles shall be free from visible defects that would impair the appearance of a major area of tiles		Compliant	
PHISICAL PROPERTIES	WATER ABSORPTION	UNI EN ISO 10545-3	E _b ≤0,5% Individual maximum : 0,6% (absorbed water mass)		Compliant	
	BREAKING STRENGTH	UNI EN ISO	Min 1300 N		≥ 1800 N	
	MODULUS OF RUPTURE	10545-4	R ≥ 35 N/mm² Not applicable to tiles with breaking strength ≥ 3000 N		R ≥ 35 N/mm²	
	FROST RESISTANCE	UNI EN ISO 10545-12	Required		Compliant	
	COEFFICIENT OF LINEAR THERMAL EXPANSION FROM AMBIENT TEMPERATURE TO 100° C (K ⁻¹)	ISO 10545-8	Required		6 x 10 ⁻⁶ K ⁻¹ max	
	SCRATCH HARDNESS (Mohs scale)	EN 101	Declared by the producer		Min 4 Depending on product	
CHEMICAL PROPERTIES	RESISTANCE TO STAINING	UNI EN ISO 10545-14	Minimum Class 3		5	
	RESISTANCE TO HOUSEHOLD CHEMICALS AND SWIMMING POOL SALTS	UNI EN ISO	Minimum GB		GA (No visible effect)	
	RESISTANCE TO HIGH AND LOW CONCENTRATIONS OF ACIDS AND ALKALIS	10545-13	To be reported		GLA - GHA (No visible effect)	
	SLIP RESISTANCE		Declared by	the producer	N.	Α.

Packaging info
Shipments to domestic markets (India)

Nominal	Thickness mm	Pcs. x box	Sq. mt x box	Weight x box (Kg)
120x240	9	1	2,87	61,00
80x240	9	1	1,91	41,00
80x160	9	2	2,55	56,00
120x120	9	2	2,87	63,00
60x120	9	2	1,43	31,50
	9	2	,,,	

Worldwide shipments

worldwide snipments							
Nominal	Thickness mm	Pcs. x box	Sq. mt x box	Weight x box (Kg)	Box x pallet	Sq. Mts x pallet	Pallet weight
120x240	9	1	2,87	61,00	15	43,05	915,00
80x240	9	1	1,91	41,00	15	28,65	615,00
80x160	9	1	1,28	28,00	35	44,63	980,00
120x120	9	1	1,43	31,50	23	32,89	724,50
60x120	9	2	1.43	31.50	32	45.82	1008.00

Size			
Nominal Size cm	Actual Size cm		
120x240	119,8x239,8		
80x240	79,8x239,8		
80x160	79,8x159,8		
120×120	119,8x119,8		
60x120	59,8x119,8		





Headquarters & Indian Sales Nexion International Pvt Ltd 1104, Shapath V, S.G. Road Ahmedabad, Gujarat (India) indiancs@nexiontiles.com www.nexiontiles.com

Design, Marketing & Global Sales
Via Dante Alighieri 18
Fiorano Modenese
Modena (Italy)
globalcs@nexiontiles.com
www.nexiontiles.com

Production & Logistics Survey no. 171 P Unchi Mandal Morbi Halvad highway 363642 Morbi, Gujarat (India) logistics@nexiontiles.com