




Nexion

RESEARCH · INSPIRATION · GRAPHIC · ARCHITECTURE

RIGA



INDEX

WHO WE ARE	2-3
RIGA - THE COLLECTION	4-5
SPACES	6-29
RANGE	30-35
TECHNICAL INFO	36

A NEW WAY
TO LOOK AT
SURFACES: AS
PARTS OF A
WHOLE, OF YOUR
SPACE, OF YOUR
OWN EXPERIENCE.

WHO WE ARE

ENVISIONING SURFACES AS BLENDS OF BEAUTY AND PERFORMANCE.

We are the Indo-Italian brand who discloses **a new perspective on tiles**, for those who understand the role of **beauty as a well-being enabler** in life.

Our ceramic surfaces, conceived as unique blends of beauty and performance, are designed to suggest a **holistic vision of the space**.

Each and every surface is the result of the capability of our designers to connect with any source of inspiration and bring unique products to life. Each and every surface created by us is capable of **elevating the personality of a space**.

We operate differently, innovating in the way we see and do things. Always adopting our customers' viewpoint and standing by them from the idea generation to the tile posing, for the peace of mind of everyone who is involved.

Our way is a new way to look at surfaces: as parts of a whole, of your space, of your own experience.

RE-INTERPRETING THE ARCHITECTURAL USE OF CONCRETE

Riga, "line" in Italian, one of the fundamental signs of design. RIGA, acronym of Research and Inspiration from Graphic and Architecture, re-interpreting the architectural use of concrete.

The product of creativity and technology.

Created by skilled craftsmen who manually made carved concrete walls looking for the beauty of repetitive patterns full of human imperfections. Manufactured using the laser micro-carving technology to carefully engrave these man-made patterns on a large-size ceramic surfaces.

Four interpretations of this design concept, with lines (Rigato), stripes (Striato), squares (Quadri), and flatness (Planum), to be used alone or together to create visually rich patterns and convey a natural, vibrant full-empty sculptural effect, through the interplay of texture and light.







Wall: Riga Avorio Quadri 120x240 cm, Planum Avorio 120x240 cm
Desk: Riga Avorio Quadri 120x240 cm
Floor in: Planum Grigio 120x240 cm
Floor Out: Lithic Alpi Argento 120x120 cm



Floor: Planum Avorio 120x240 cm
Wall: Riga Nero Rigato 120x240 cm
Indoor furniture: Riga Nero Quadri, Riga Avorio Quadri



Floor: Planum Avorio 60x120 cm
Wall: Riga Avorio Rigato 120x240 cm



Floor: Planum Avorio 60x120 cm
Volumes: Riga Nero Quadri



Wall: Riga Grigio Striato 120x240 cm, Riga Grigio Rigato 120x240 cm
Floor: Planum Nero 120x240



Wall: Riga Grigio Striato 120x240 cm, Riga Grigio Rigato 120x240 cm
Floor: Planum Nero 120x240




Wall: Riga Grigio Rigato 120x240 cm
Floor: Planum Nero 120x240



Wall: Planum Avorio 120x120 cm. Riga Quadri Avorio 120x240 cm
Volumes: Riga Quadri Avorio 120x240 cm
Floor: Planum Avorio 120x240 cm



Volumes: Riga Quadri Avorio 120x240 cm
Floor: Planum Avorio 120x240 cm




Wall: Planum Avorio 120x120 cm. Riga Quadri Avorio 120x240 cm



Wall: Riga Nero Rigato 120x240
Floor: Planum Nero 120x240

→ Riga Nero Rigato 120x240







PALACE HOTEL

Wall: Riga Nero Rigato 120x240
Floor: Planum Nero 120x240



Wall: Riga Bianco Rigato 120x240 cm
Desk: Riga Avorio Quadri 120x240 cm
Floor: Planum Bianco 120x120 cm



Wall: Riga Bianco Rigato 120x240 cm
Desk: Riga Avorio Quadri 120x240 cm
Floor: Planum Bianco 120x120 cm



THE RANGE

6 COLORS 4 STRUCTURES

The materic attitude of concrete comes to life in four basic colors designed both to function independently and to mix harmoniously with each other. Three decorative structures add expressive intensity to the surfaces, intricately captivating and reflecting light and, so doing, creating sculptural effects that continuously evolve.



BASIC ELEMENTS: PLANUM

6 COLORS

Covering a wide range of pure concrete expressions.

6 SIZES (120x240/80x160/120x120/60x120/60x60/30x60)

To exploit all architectural and creative potential.



Beige



Avorio




Bianco



Grigio Chiaro



Grigio Scuro



Nero

Full body-colored porcelain stoneware (International standard)
Vitrified stoneware (Indian standard)
Rectified | 9 mm thickness

NEXION INSTALLATION SUGGESTIONS

Nexion recommends 2 mm joint for optimal aesthetics taking advantage of the tile's caliber in multi-sized applications.
Both cement and epoxy grout can be used; grout-design color matching advisable for optimal aesthetics.
It is not recommended to use grouting with colored pigments in contrast with the color of the tiles.
For detailed installation guidelines log on www.nexiontiles.com

DECORATIVE ELEMENTS: RIGA

4 STRUCTURES (Rigato, Striato, Quadri, Planum)


Adding sculptural expressivity to surfaces.

6 COLORS

Covering a wide range of pure concrete expressions.

2 SIZES (120x240/60x120)

Congenial to multiple laying patterns.



Rigato

Striato

Quadri

Planum



Rigato Beige

Striato Beige

Quadri Beige

Planum Beige



Rigato Avorio

Striato Avorio

Quadri Avorio

Planum Avorio



Rigato Bianco

Striato Bianco

Quadri Bianco

Planum Bianco



Rigato Grigio Chiaro

Striato Grigio Chiaro

Quadri Grigio Chiaro

Planum Grigio Chiaro




Rigato Grigio Scuro

Striato Grigio Scuro

Quadri Grigio Scuro

Planum Grigio Scuro



Rigato Nero

Striato Nero

Quadri Nero

Planum Nero

NEXION QUALITY STANDARDS – All tests are carried out by Italian laboratories accredited according to ISO/IEC 17025:2017

Standards according to ISO 13006: Annex G - EN 14411: Annex G. Dry - Pressed Ceramic Tiles.

QUALITY ITEMS	TECHNICAL FEATURE	STANDARD METHOD ISO	UNIT	REQUIREMENTS ISO 13006:2018(E) E _v ≤0,5% GROUP Bla	NEXION Values			
					SIZE < 1200 mm		SIZE ≥ 1200 mm (SLABS)	
					%	mm	%	mm
DIMENSIONS AND SURFACE QUALITY	Width	ISO 10545 - 2	mm	± 0,3%	± 0,1%	± 0,8 mm	± 0,1%	± 1,0 mm
	Length	ISO 10545 - 2	mm	± 0,3%	± 0,1%	± 0,8 mm	± 0,1%	± 1,2 mm
	Thickness	ISO 10545 - 2	mm	± 5,0%	± 4,0%	± 0,5 mm	± 4,0%	± 0,5 mm
	Straightness of Side	ISO 10545 - 2	mm	± 0,3%	± 0,1%	± 0,8 mm	± 0,1%	± 1,0 mm
	Rectangularity	ISO 10545 - 2	mm	± 0,3%	± 0,1%	± 1,3 mm	± 0,1%	± 1,5 mm
	Surface Flatness	ISO 10545 - 2	mm	± 0,4%	± 0,1%	± 1,8 mm	± 0,2%	± 3,0 mm
	Surface Quality	ISO 10545 - 2	-	A minimum of 95% of the tiles are to be free from visible defects which can impair the appearance of a major area of tiles	95%			
PHYSICAL PROPERTIES	Water Absorption	ISO 10545 - 3	%	≤ 0,5%, Individual 0,6%	Avg. ≤ 0,08%, Individual 0,2%			
	Modulus of Rupture	ISO 10545 - 4	N/mm ²	Min. 35, Individual Min. 32	Min. 42			
	Breaking Strength	ISO 10545 - 4	N	Not less than 1300	Min. 1800			
	Moisture Expansion	ISO 10545 - 10	mm/m	-	0,02			
	Surface Abrasion	ISO 10545 - 7	Class	Minimum Class II Report abrasion class and cycles passed	CLASS IV (> 2100 Cycles)			
	Resistance to surface abrasion of glazed tiles intended for use on floors							
	Mohs Hardness of surface	NA	-	-	8			
	Coefficient of linear thermal expansion from ambient temperature to 100 °C	ISO 10545 - 8	K ⁻¹	As declared by the Manufacturer	6x10 ⁻⁶ K ⁻¹ max			
	Thermal Shock Resistance	ISO 10545 - 9	-	As declared by the Manufacturer	No damage			
	Crazing Resistance: glazed tiles	ISO 10545 - 11	-	Required	No damage for Min. 10 Cycles			
	Bulk Density	ISO 10545 - 3	g/cc	2,2	2,2			
	Impact Resistance	ISO 10545 - 5	-	As declared by the Manufacturer	0,55			
	Frost Resistance	ISO 10545 - 12	-	As declared by the Manufacturer	No change			
	Slip Resistance	ANSI A137,1 DIN 51130	-	As declared by the Manufacturer	Absolute Matte			
DCOF > 0,61								
R-11								
Small color differences	ISO 10545 - 16	-	Plain colored tiles only where required GL: ΔE < 0,75 UGL: ΔE < 1,0	No change				
CHEMICAL PROPERTIES	Resistance to staining	ISO 10545 - 14	Class	Minimum Class 3	Class 4			
	Resistance to household chemicals and swimming pool salts	ISO 10545 - 13	Class	Minimum B	Minimum A			
	Resistance to acids & alkalis	ISO 10545 - 13	Class	As declared by the Manufacturer	Minimum B			

PACKAGING INFO

Shipments to domestic markets (India)

Nominal Size cm	Thickness mm	Pcs. x box	Sq. mt x box	Weight x box (Kg)
120x240	9	1	2,87	61,00
80x160	9	2	2,55	54,00
120x120	9	2	2,87	60,00
60x120	9	2	1,43	30,00
60x60	9	4	1,43	31,00
30x60	9	6	1,07	23,00

Worldwide shipments

Nominal Size cm	Thickness mm	Pcs. x box	Sq. mt x box	Weight x box (Kg)	Box x pallet	Sq. mt x pallet	Pallet weight (Kg)
120x240	9	1	2,87	61,00	37	106,30	2347,00
80x160	9	2	2,55	54,00	28	71,40	1582,00
120x120	9	2	2,87	60,00	24	68,88	1510,00
60x120	9	2	1,43	30,00	32	45,82	1003,00
60x60	9	4	1,43	31,00	34	48,69	1077,00
30x60	9	6	1,07	23,00	40	42,72	943,00

Riga Designs will be available in 60x120 cm and 120x240 cm sizes only.

Tiles are packaged in a random manner and company cannot guarantee the type of faces inside each package.

Size

Nominal Size cm	Actual Size cm
120x240	119,8x239,8
80x160	79,8x159,8
120x120	119,8x119,8
60x120	59,8x119,8
60x60	59,8x59,8
30x60	29,8x59,8



Nexion

Design, Marketing & Global Sales | Via 2 Giugno, 13 | 41042 Fiorano Modenese | Modena (Italy) | globalcs@nexiontiles.com

Headquarters & Indian Sales | Nexion Surfaces Private Limited | 1104-1105, Shapath V, S.G. Highway, 380 015 | Ahmedabad, Gujarat (India) | indiancs@nexiontiles.com

nexiontiles.com